

ECOrange

*ECORE's Environmentally
Responsible Line of Shooting Range Products*



*Approved supplier and proud
supporter of the NRA*



BULLET TRAPS

Designed specifically for law enforcement, military, and civilian shooting ranges, recycled rubber shooting blocks promote high quality protection for shooting range equipment and facilities with dense composition and long-lasting durability. E CORE bullet traps are manufactured with premium recycled production technology to withstand heavy bullet penetration, protecting surrounding equipment fixtures and endorsing environmentally sustainable solutions to fulfill practical shooting facility needs.

- Can be adhered using E-Grip III to create variable shooting surfaces including walls, bunkers, stairs, and more
- Manufactured using recycled tire rubber
- Passes UL 94 fire testing
- Available in Black only
- Standard dimensions of 20" x 12" x 8" (51cm x 31cm x 20cm)



EMBOSSED PAVER TILES

Embossed Paver Tiles are designed with superior durability and cushioned resilience, allowing them to contribute toward the construction of safe and practical shooting areas. The dense recycled rubber composition of the tiles enables them to easily support heavy traffic, provide superior sound absorption, and protect visitors and furnishings from ricochets. With the visually stunning design illusion of individual pavers, durability of resilient rubber composition, and the efficient benefits of full tile installation, embossed paver tiles are an ideal flooring choice for large open spaces such as those maintained in shooting ranges.

- Slip resistant, wet or dry
- Superior shock absorption
- Superior traction and grip for live-fire training exercises
- Can be loose laid or fully adhered
- Transition edging and colored reducers available
- Made from recycled tire rubber
- Can contribute points toward LEED certification
- Available in Terra Cotta Red, Forest Green, Grey, and Black



Dimensions	Thickness/Weight
24" (61cm) x 24" (61cm)	1-1/4" - (30 mm)/ 20 lbs. per tile 1-3/4" - (43 mm)/ 28 lbs. per tile

WALL AND CEILING TILES

Manufactured from recycled material, the dense composition of ECORE's rubber wall and ceiling panels prevents bullet rebound and meets UL 94 fire testing standards. Panels feature industrial strength durability and can be nailed or screwed into wall studs or wooden strips, enabling secure and expedient installation. The practical ease of rubber wall and ceiling panels and the protection that they afford to facilities, equipment, and bystanders, makes them a necessity for use in any shooting range facility.

- Available in Black, Grey, Green, and Red pigments
- Elastic material prevents the appearance of bullet holes
- Weather resistant
- Sound absorbent



Dimensions	Thickness/Weight
24" (61 cm) x 24" (61 cm)-square	1-3/4" - (43 mm)/ 40 lbs. per tile
20" (51 cm) x 40" (1 m)-rectangle	1-1/4" - (30 mm)/ 27 lbs. per tile 5/8" - (15 mm)/ 13.5 lbs. per tile

E-GRIP III ADHESIVE

E-Grip III is a zero-VOC, very low odor, one-component urethane adhesive formulated specifically for use with ECORE's family of surfacing products. E-Grip III features excellent trowelability and improved tack properties, so it's easy to apply and keeps seams flat and secure. It's moisture-cured, no-mix, non-sag, and permanently elastic formula has excellent adhesion to elastomers, concrete, and wood in both indoor and outdoor applications.

- Zero-VOC formula (SCAQMD Rule #1168)
- Easy to trowel and apply
- No mixing required
- Excellent curing cycle
- Very low odor
- Non-flammable
- Available in 2 gallon or 4 gallon pails, and 10.1 oz. cartridges
- For use in flooring and bullet trap adhesion only
- Spread rate of 95 square feet per gallon



ecore[™]
— INTERNATIONAL —

715 Fountain Avenue • Lancaster, PA 17601 • 800.322.1923

For further information visit www.ecoreindustrial.com,
call 800.322.1923, or contact matt.malles@ecoreintl.com